Journal of Community Pharmacy Practice
Vol: 04, No. 01, Jan-June 2024
ISSN: 2799-1199, DOI: 10.55529/jcpp.43.22.29

Research Paper

Evaluate the levels of some physical and chemical factors in wastewater from some companies and Kirkuk General Hospital in Kirkuk city

Maryam Adil Abdullah[1*], Kameran Shukur Hussein[2]
[1*]Master student, Chemistry Department, College of Sciences, University of Kirkuk, Kirkuk, Iraq.
[2]Professor, Chemistry Department, College of Sciences, University of Kirkuk, Kirkuk, Iraq.

Article Info

Article History:
Received: 04 December 2023
Revised: 13 February 2024
Accepted: 21 February 2024
Published: 09 April 2024

Keywords:
Wastewater
Physical Properties
Chemical Properties
TDS
Gas Companies

ABSTRACT

Background: Wastewater generated from industrial facilities and healthcare institutions contains various physical and chemical pollutants that may adversely affect environmental quality and public health. Monitoring wastewater characteristics is essential for assessing pollution levels and identifying potential environmental risks.
Objective: This study aims to evaluate selected physical and chemical parameters in wastewater collected from industrial companies and Kirkuk General Hospital in Kirkuk City, Iraq.
Methods: Wastewater samples were collected from North Oil Company, North Gas Company, Kirkuk Cement Plant, and Kirkuk General Hospital over six months, from September 2023 to February 2024. Samples were collected in 2-liter polyethylene containers and analyzed for physical parameters, chemical characteristics, and selected heavy metals.
Results: The findings revealed considerable variations in wastewater quality among the investigated locations. North Oil Company wastewater exhibited the highest electrical conductivity (64,600) and salinity (29.8), while North Gas Company recorded the highest total dissolved solids (44,000). North Gas Company also demonstrated significant chemical contamination, with pH 3.67, phosphate 36.5 ppm, and nitrate 18.6 ppm. The highest sulfate concentration (1,267 ppm) was recorded at North Oil Company. Additionally, elevated concentrations of cadmium, lead, nickel, and copper were observed in North Oil Company samples, whereas iron and cobalt concentrations were highest in North Gas Company samples.
Conclusion: The investigated wastewater sources exhibited considerable physical and chemical contamination, particularly industrial wastewater, highlighting the need for regular monitoring and effective wastewater treatment before environmental discharge.

Corresponding Author:
Maryam Adil Abdullah

Check for updates

Journal of Community Pharmacy Practice (JCPP)

Master student, Chemistry Department, College of Sciences, University of Kirkuk, Kirkuk, Iraq.
Email: sccm22009@uokirkuk.edu.iq

Copyright © 2024 The Author(s). This is an open access article distributed under the Creative Commons Attribution License, (http://creativecommons.org/licenses/by/4.0/) which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited.

1. INTRODUCTION

Any water whose quality has been negatively impacted by human activity is considered wastewater. It includes liquid waste that is released from residential, commercial, industrial, and agricultural sources. It can include a variety of possible contaminants and concentrations. [1] Because industrial water introduces heavy metals and other toxins into soil and water resources, it produces wastewater that poses a risk to the environment [2]. One of the biggest problems is water pollution, which can be caused by a wide range of materials, such as urban wastewater, agricultural effluent, and industrial discharges. It has been established that there is significant pollution in half of the world's rivers, resulting in a drop in water levels [3], [4]. The water is contaminated if the levels of certain elements (nitrates 50 mg/L, calcium 300 mg/L, sodium 200 mg/L, magnesium 300 mg/L, chloride 200 mg/L, sulphates 250 mg/L, total dissolved solids 600 mg/L, and potassium 12 mg/L) exceed the standard limit [5]. Water pollution comes from two different sources [6].

Point and nonpoint sources. Point sources, which include oil spills from tankers, factory igniters, and wastewater flowing, are easily recognized. Runoff is the term used to describe precipitation or snowmelt that travels from land to water. Water runoff originates from nonpoint sources and may contain bacteria, soil, oil, grease, trash, animal waste, and chemical pollutants such fertilizers, metals, and pesticides [7]. The process of cleaning wastewater is known as wastewater treatment. Because certain toxins or pollutants are hard to control after they are released from point sources of pollution into habitats, this procedure is crucial [8]. The three steps of a traditional wastewater treatment procedure are primary, secondary, and tertiary [9]. Numerous heavy metals are responsible for contaminating water. It has been shown in several research that elements can be categorized into three groups based on the ratios of their soluble forms: high (manganese, zinc, and lead), moderate (nickel and copper), and insoluble (aluminum, iron, and titanium) [10], [11]. Therefore, the current study aimed to evaluate the levels of some physical and chemical factors in wastewater from some companies and Kirkuk General Hospital in the city of Kirkuk.

2. RELATED WORK

In study of [12], indicated that the Dissolved Oxygen (DO) content near factories revealed contaminated water that was dangerous to consume and required expensive treatment. A crucial component of irrigation is sodium concentration, which is represented by SAR and SSP. SSP levels above 75.73% in the water close to these factories have the potential to degrade soil structure and harm agricultural areas. Fish and other aquatic life may be at risk due to the elevated levels of BOD5 and COD. Because the Shatt Al-Arab River is used for a variety of purposes, the study's findings indicated that the water surrounding industrial regions was contaminated. In research of [13], referred that the study of the Kufa sewage treatment plant's quality is known to measure the ratios of oxygen chemical (COD) absorbed and oxygen vital (DO) uptake. Indicators have also been studied and mentioned, including pH, electrical conductivity, E.C., salts dissolved total TDS, materials stuck total T.S.S., BOD, chlorides, nitrates, oil and grease, phosphates, and temperature.

3. METHODOLOGY

3.1 Sampling Methods

Water samples were collected from study sites, North Oil Company, North Gas Company, Kirkuk cement plant and Kirkuk General Hospital, and for 6 months from September 2023 to February 2024, using containers Poly Athelin is 2.0 liters tight, and containers have been cleaned with diluted nitric acid, after eliminating organic materials and contaminants, thoroughly wash them with high-quality distilled water. After that, it was filled with distilled water until the sample arrived, at which point the containers were twice pushed full of sample water. Prior to sampling in each field model, glass 300 ml containers were used. Each site was modeled both before and after processing by holding the container from below and filling it with water up to a depth of nearly 30 cm, leaving the nozzle pointing toward the stream of water. Next, the cover was removed to fill the container with water, closing it immediately after. Finally, the bottles were instructed regarding the date of taking the models. Additionally, during the modeling process, all additional data and the containers were kept in fiber boxes with ice until they were moved to the lab. The samples were maintained at a certain temperature in the refrigerator. On samples for analysis (sulfate, phosphate, nitrate, TDS, EC, salinity, pH, temperature), this was done at (4.0 ^{0}C). The 150 ml of samples that were meant to be used in the heavy element analysis were taken as soon as the laboratory was back in operation. After filtering the samples, a few drops of strong nitric acid (HNO3) were added to acidify them.

3.2 Physical Tests of Water

3.2.1 Temperature

A conventional mercury emitter was used to monitor the water's temperature, which ranged from (100.0 - 0.0) °C to (0.1 ° C).

3.2.2 Electric Conductivity- (EC)

Specific Electrical Connectivity Using HANNA Model (EC- meter) Device H.199301 Microcosmenise/CM Unit.

3.2.3 Salinity

Salinity was calculated based on electrical conductivity values, as described in the method as shown in the following formula:

$$\text{Salinity } (‰) = \frac{\text{Electrical Conductivity} - 14.78}{1589.08}$$ ---------- Where EC is measured in µS/cm.

Units Part per Thousand (Part Per thousand %) E Unit (g/L).

3.2.4 Total Dissolved Solid (T.D.S)

Total dissolved solids in milligrams per liter (mg/L) using the HANNA model type device H.199301 standard (2000.0-0.0).

3.2.5 Chemical Tests of Water

PH Meter the pH of the samples was measured using a pH meter made by HANNA (Microprocessor HI 9321).

3.2.6 Sulphate Ion Estimation

The spectral method (Turbidity metric method) known as the APHA method [14], as reported by Agha [15], was utilized to estimate the sulfate ion.

3.2.7 Nitrate Ion Estimation

The APHA method [16] for nitrate ion is a spectral method that uses a Spectrophotometer at a wavelength of (270nm, 220nm).

3.2.8 Phosphate Ion Estimation

Using the spectral method, Abbas detailed the phosphorus using APHA method and for the wavelength (700nm).

4. RESULTS AND DISCUSSION

4.1 Physical Factors

Table 1 shows the physical factors of the water collected from different locations, it is noted that North Oil Company and North Gas Company was the most physically polluted compared to the rest of the samples. Where, EC was 64600, and Salinity was 29.8 in water of North Oil Company, while TDS was 44000 in water of North Gas Company.

Table 1. Physical Tests of Water

Factors Location	EC (MS/CM)	T.D.S (PPM)	Temperature (^{0}C)	Salinity (PPM)
A1	43100 b	21100 c	25.2 b	18.7 b
A2	64600 a	31700 b	25.9 a	29.8 a
B1	38300 b	1880 e	25.4 b	0.8 d
B2	26200 c	22100 c	26 a	0.4 e
B3	21500 c	44000 a	25.9 a	18 b
C	1200 e	1000 f	26 a	0.3 e
H	4210 d	3360 d	25.5 b	1.6 c

A1, A2: North Oil Company, B1, B2, B3: North Gas Company, C: Kirkuk cement plant, H: Kirkuk General Hospital. Vertically similar letters mean that there is no significant difference in the probability level ($P<0.05$).

The salinity values of the water's thickness are retrieved from the measurement of the electrical conductivity of water bodies, which serves as an indicator of the ions present in the water [17]. Table 1 shows a discernible rise in the research sites' electrical conductivity values. The TDS levels in the water clearly increased along with this increase in electrical conductivity, with North Gas Company having the highest value at 44,000 ppm. Reduced water levels, more nutrients, and an accelerated evaporation process are the causes of this. Large amounts of laboratory and hospital trash are fed into it throughout the course of the study's months, making it challenging to dilute because of the water's slow circulation [18]. The amount of dissolved solids in a body of water, fertilizer runoff, wastewater and septic effluent, soil erosion, decomposing plants and animals, and local geological features are all impacted by the rising dissolved salt levels in businesses and hospitals in the current study as a result of the rising water temperature [19].

4.2 Chemical Factors

Table 2 shows the chemical factors of the water collected from different locations, it is noted that North Gas Company was the most chemically polluted compared to the rest of the samples. Where, pH was 3.67, PO_4 was 36.5 ppm and NO_3 was 18.6 ppm. While, highest valve of SO_4 showed in water of North Oil Company and it was 1267 ppm.

Table 2. Chemical Factors of Water Wastes

Factors Location	pH	PO_4 (PPM)	SO_4 (PPM)	NO_3 (PPM)
A1	6.48 b	5.66 b	1267 a	6.88 d
A2	6.64 b	3.16 c	900 b	9.77 c
B1	6.83 b	0.696 e	198 d	1.105 f
B2	3.67 c	2.31 d	162.5 d	2 e
B3	7.27 a	36.5 a	72.4 e	18.6 a
C	8.33 a	2.25 d	178 d	15 b
H	6.68 b	6.35 b	413 c	2.2 e

A1, A2: North Oil Company, B1, B2, B3: North Gas Company, C: Kirkuk cement plant, H: Kirkuk General Hospital. Vertically similar letters mean that there is no significant difference in the probability level (P<0.05).

The relevance of pH is emphasized by general environmental sources and water contamination. According to Ruttener [20], pH impacts the nature of the ecosystem and many living organism kinds. The variations in pH values between the study sites are displayed in Table 2, these values were towards acidity and varied from 3.67-8.33. This is because the wastewater from the hospital increases the amount of organic molecules in the water, which encourages microbial organisms to take up oxygen in order to break down organic materials [21]. Certain cleaning detergents included chemicals called polyphosphates. The issue of phosphorus entering detergents seems to be more complicated because the way detergents are used varies depending on the nation. Eutrophication is the process whereby an abundance of phosphorus in receiving waters causes a large-scale development of algae. Only 0.005 to 0.05 mg/l of phosphorus is needed in an aquatic environment to support algal blooms [22], and the values of every sample site were high enough to cause the eutrophication phenomenon. Lower values may be caused by the presence of CO2, salts, sulphates, nitrates, and chlorides. The effect of alkaline cleaning agents on the alkaline material is responsible for the increase in the relative values of pH, PO4, and SO4 during specific times [23]. Kirkuk General Hospital's pH never dropped below 7. In a similar vein, an investigation into Iranian hospitals revealed that the average pH of their raw wastewater was 7.5 across all hospitals under investigation [24].

4.3 Heavy Metals

Table 3 shows the heavy metals found in water collected from different locations, it is noted that the water samples collected from North Oil Company contained the highest concentration of cadmium (11.334), lead (10.355), nickel (1.356) and copper (1.579), while the water sample collected from North Gas Company contained the highest Concentration of iron (9.047) and cobalt (0.881).

Table 3. Concentration of some Heavy Metals in Water

Sites / Metals	A1	A2	B1	B2	B3	H	C
Cd	9.280 a	11.334 a	3.806 b	8.512 a	9.824 a	2.143 b	0.712 c
Pb	6.115 c	10.355 a	8.622 b	5.166 c	8.133 b	1.150 d	1.200 d
Fe	5.447 c	4.844 c	9.047 a	7.124 b	2.011 d	2.474 d	1.001 e
Co	0.520 d	0.754 b	0.881 a	0.793 b	0.624 c	0.312 e	0.433 d
Ni	1.356 a	0.929 c	1.247 a	1.320 a	1.110 b	0.588 d	0.310 e
Cu	1.579 a	1.240 b	0.517 d	1.285 b	1.521 a	0.644 c	0.213 e

A1, A2: North Oil Company, B1, B2, B3: North Gas Company, C: Kirkuk cement plant, H: Kirkuk General Hospital. Horizontally similar letters mean that there is no significant difference in the probability level (P<0.05).

The concentration of all dissolved heavy metals in the river water is very high. The research area's industrial and human activity can be blamed for the elevated amounts of heavy metals. The waste from rubber and textile companies limits industrial activity. The low solubility of the heavy metals in the water is caused by their tendency to adsorb to the suspended particles, which causes precipitation in the pool bed. Additionally, water alkalinity accelerates the adsorption process and reduces the solubility of heavy metals [25], [26]. Hospitals and oil and gas companies are thought to be potential sources of the metal since they release untreated waste into the water [27], [28], [29]. Even though lead (Pb) adsorbs strongly on sediment particles the high amounts of Pb in the water under study may mean that Pb was present in excess of most other heavy metals and exceeded Iraqi and WHO criteria in the summer, fall, and spring. Cobalt and chromium just barely surpassed these requirements. The discharge velocity and water current are significant factors that affect how the amounts of heavy metals vary. A rise in current velocity causes turbulence in the water column, whilst an increase in discharges helps to dilute metal levels. Because of the

mixing process with the bottom sediments, it helps to raise the concentrations of heavy metals in water [30].

5. CONCLUSION

The results of the current study showed that the water collected from some companies and the hospital in the city of Kirkuk showed high physical and chemical contamination of wastewater, especially the northern oil and gas companies.

Acknowledgments

The authors have no specific acknowledgments to make for this research.

Funding Information

This research received no specific grant from any funding agency in the public, commercial, or not-for-profit sectors.

Author Contributions Statement

Name of Author	C	M	So	Va	Fo	I	R	D	O	E	Vi	Su	P	Fu
Maryam Adil Abdullah	✓	✓	✓	✓	✓	✓		✓	✓	✓	✓	✓	✓	✓
Kameran Shukur Hussein	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

C : **C**onceptualization
M : **M**ethodology
So : **So**ftware
Va : **Va**lidation
Fo : **Fo**rmal analysis
I : **I**nvestigation
R : **R**esources
D : **D**ata Curation
O : Writing - **O**riginal Draft
E : Writing - Review & **E**diting
Vi : **Vi**sualization
Su : **Su**pervision
P : **P**roject administration
Fu : **Fu**nding acquisition

Conflict of Interest Statement

The authors declare that there are no conflicts of interest regarding the publication of this paper.

Informed Consent

All participants were informed about the purpose of the study, and their voluntary consent was obtained prior to data collection.

Ethical Approval

Not Applicable.

Data Availability

The data that support the findings of this study are available from the corresponding author upon reasonable request.

REFERENCES

[1] W. Demeke, Characterization of Low-Cost Activated Carbon Prepared From Natural Clay Soil for Removal of Hexavalent Chromium in Aqueous Solution (Equilibrium and Kinetic Study). 2021.

[2] M. R. Majeed, A. S. Muhammed, K. A. Rasheed, M. R. Majeed, A. S. Muhammed, and K. A. Rasheed, "The removal of Zinc, Chromium and Nickel from industrial waste water using Rice husk," Iraqi J Sci, vol. 55, no. 2A, pp. 411-418, 2014.

[3] A. R. A. Barzinji, "Parasitological Evaluation of the Purifying Performance of Wastewater Treatment Plants in Kirkuk, Iraq. University of Kirkuk," Iraq. University of Kirkuk. JOURNAL OF COMMUNICABLE DISEASES, vol. 55, no. 4, pp. 14-22, 2023. doi.org/10.24321/0019.5138.202348

[4] B. K. Mohammad, K. S. Husien, and I. Zainal, "Appraisal the Quality of Drinking Tap Water in Different Regions of Kirkuk City," vol. 21, 2021.
[5] E. Abascal, L. Gómez-Coma, I. Ortiz, and A. Ortiz, "Global diagnosis of nitrate pollution in groundwater and review of removal technologies," Science of the total environment, vol. 810, 2022. doi.org/10.1016/j.scitotenv.2021.152233
[6] R. Singh, G. Andaluri, and V. C. Pandey, "Cities' water pollution-Challenges and controls," in Algae and Aquatic Macrophytes in Cities, Elsevier, 2022, pp. 3-22. doi.org/10.1016/B978-0-12-824270-4.00015-8
[7] R. K. Mishra, "Fresh water availability and its global challenge," British Journal of Multidisciplinary and Advanced Studies, vol. 4, no. 3, pp. 1-78, 2023. doi.org/10.37745/bjmas.2022.0208
[8] B. K. Handa, D. K. Goel, and A. Kumar, "Pollution of natural waters by industrial waste effluents in some parts of north and north-western India," Asian Environment, no. 4, pp. 13-20, 1983.
[9] J. R. Mihelcic and J. B. Zimmerman, Environmental engineering: Fundamentals, sustainability, design. John wiley & sons, 2021.
[10] M. Bacardit and L. Camarero, "Atmospherically deposited major and trace elements in the winter snowpack along a gradient of altitude in the Central Pyrenees: The seasonal record of long-range fluxes over SW Europe," Atmosp. Environ, vol. 44, no. 4, pp. 582-595, 2010. doi.org/10.1016/j.atmosenv.2009.06.022
[11] J. L. Colin, J. L. Jaffrezo, and J. M. Gros, "Solubility of major species in precipitation: factors of variation," Atmospheric Environment. Part A. General Topics, vol. 24, no. 3, pp. 537-544, 1990. doi.org/10.1016/0960-1686(90)90008-B
[12] A. A. Mohammed and A. S. Chalabi, "Environmental impact assessment study for Shatt Al-Arab River receiving industrial wastewater," Basrah J Eng Sci, vol. 22, pp. 93-98, 2022. doi.org/10.33971/bjes.22.1.11
[13] A. Noor, "Study of the Standards Quality of a Wastewater before and After Treatment in Kufa Treatment Plant," Journal of Kufa for Chemical Sciences, no. 8, 2013.
[14] S. K. Nataraj, S. Sridhar, I. N. Shaikha, D. S. Reddy, and T. M. Aminabhavi, "Membrane-based microfiltration/electrodialysis hybrid process for the treatment of paper industry wastewater," Separation and Purification Technology, vol. 57, no. 1, pp. 185-192, 2007. doi.org/10.1016/j.seppur.2007.03.014
[15] M. I. Al-Ali, A. I. Abdullah, A. M. Mohammad, and K. I. Al-Ali, "Estimating and modelling the interrelationships between physicochemical pollutants of samara drug factory wastewater," European journal of scientific research, vol. 61, no. 2, pp. 230-241, 2011.
[16] Standard methods for the examination of water and wastewater. APHA American Public Health Association, 1981.
[17] Wetzel, R.G., (1983), Limnology, 2nd Ed., Saunders College, Pub. Philadelphia, P.850.
[18] N. A. Abbas, "Studying Some Physical and Chemical Properties of Health Care Wastes of Sanitary Drainage Water for the Hospitals of Missan Governorate," Journal of Misan Researches, vol. 8, no. 16, pp. 46-62, 2012.
[19] Y. F. K. Al-Fatlawey, Study the drinking water quality of some Baghdad drinking water treatment plants. Baghdad, Iraq, 2007.
[20] Ruttener, F., (1973), Fundamentals of limnology, 3rd ed., University of Toronto, Toronto, Canada, P.307.
[21] X. E. Yang, X. Wu, H. L. Hao, and Z. L. He, "Mechanisms and assessment of water eutrophication," Journal of zhejiang university Science B, vol. 9, pp. 197-209, 2008. doi.org/10.1631/jzus.B0710626
[22] M. S. Al-Enazi, "Evaluation of wastewater discharge from Al-Sadr teaching hospital and its impact on the Al-Khorah channel and Shatt Al-Arab River in Basra City-Iraq," Evaluation, vol. 6, no. 12, pp. 55-65, 2016.
[23] A. Amouei, H. A. Asgharnia, A. A. Mohammadi, H. Fallah, R. Dehghani, and M. B. Miranzadeh, "Investigation of hospital wastewater treatment plant efficiency in north of Iran during,"

International Journal of Physical Sciences, vol. 7, no. 31, pp. 5213-5217, 2010. doi.org/10.5897/IJPS12.332

[24] S. A. Al-Asadi, W. S. Al-Qurnawi, A. B. Hawash, H. B. Ghalib, and N. H. A. Alkhlifa, "Water quality and impacting factors on heavy metals levels in Shatt Al-Arab River," Iraq. Applied Water Science, vol. 10, no. 5, pp. 1-15, 2020. doi.org/10.1007/s13201-020-01196-1

[25] A. S. Ahmed, M. B. Hossain, S. O. F. Babu, M. M. Rahman, and M. S. I. Sarker, "Human health risk assessment of heavy metals in water from the subtropical river, Gomti," Bangladesh. Environmental Nanotechnology, Monitoring & Management, vol. 15, 2021. doi.org/10.1016/j.enmm.2020.100416

[26] M. H. Abdo, H. Ahmed, M. Helal, M. Fekry, and A. Abdelhamid, "Water Quality Index and Environmental Assessment of Rosetta Branch Aquatic System," Egyptian Journal of Chemistry, vol. 65, no. 4, pp. 321-331, 2022.

[27] A. Bozdağ, "Quality and health risk assessment of water resources in Sızma-Lâdik (Konya) inactive mining area," Turkey. Environmental Earth Sciences, vol. 80, no. 20, 2021. doi.org/10.1007/s12665-021-10029-6

[28] A. Taghinia Hejabi, H. T. Basavarajappa, A. R. Karbassi, and S. M. Monavari, "Heavy metal pollution in water and sediments in the Kabini River," Environmental Monitoring and Assessment, vol. 182, pp. 1-13, 2011. doi.org/10.1007/s10661-010-1854-0

[29] S. A. Al-Asadi, A. B. Hawash, N. H. A. Alkhlifa, and H. B. Ghalib, "Factors affecting the levels of toxic metals in the Shatt Al-Arab River," Southern Iraq. Earth Systems and Environment, vol. 3, pp. 313-325, 2019. doi.org/10.1007/s41748-019-00096-y

[30] WHO, Guidelines for drinking-water quality, 4th end + 1st add ed. 2017; 216.

How to Cite: Maryam Adil Abdullah, Kameran Shukur Hussein. (2024). Evaluate the levels of some physical and chemical factors in wastewater from some companies and Kirkuk general hospital in Kirkuk city. Journal of Community Pharmacy Practice (JCPP), 4(1), 88-95. https://doi.org/10.55529/jcpp.43.22.29

BIOGRAPHIES OF AUTHORS

	**Maryam Adil Abdullah,** studies for a Master's degree in the Department of Chemistry at the College of Sciences, University of Kirkuk in Kirkuk, Iraq. Her work is mainly in analytical chemistry and environmental chemistry. She also studies physical and chemical measures used to judge wastewater. She has helped with research on wastewater quality in Kirkuk. This includes sites linked to industry and health care. In those studies, she worked on finding chemical pollutants and heavy metals. Email: sccm22009@uokirkuk.edu.iq
	**Kameran Shukur Hussein,** works as a Professor in the Chemistry Department at the College of Sciences, University of Kirkuk, in Kirkuk, Iraq. In his research, he focuses on analytical chemistry. He also works on spectrophotometric analysis. His attention also covers pharmaceutical analysis. Along with that, he studies environmental chemistry. He has written papers about using spectrophotometry to measure pharmaceutical substances. He has also studied pollutants found in industrial wastewater. Email: kamerandalo@uokirkuk.edu.iq