Journal of Image Processing and Intelligent Remote Sensing
ISSN 2815-0953
Vol: 04, No.01, Dec 2023-Jan 2024
http://journal.hmjournals.com/index.php/JIPIRS
DOI: https://doi.org/10.55529/jipirs.41.39.49

Multi-Level Pixel-Aligned Implicit Function for High-Resolution 3D Human Digitization

Prerna Shirish Kulkarni[1], Simran Raju Mulani[2], Shruti Shrikant Wagaj[3], G. B. Birajadar[4*]

[1,2,3,4]Department of Electronics and Telecommunication, SKN SCOE Korti, Pandharpur, Maharashtra, India.*

Corresponding Email: [4]gbirajadar@gmail.com*

Received: 19 August 2023 **Accepted:** 07 November 2023 **Published:** 20 December 2023

Abstract: ***Current strides of image dependent 3 dimension human outline estimation have progressed due to remarkable strides in depiction capabilities facilitated by deep NN. Despite the strides made in real-world applications, existing methods still fall short in generating reconstructions that match the intricate details often found in the original images. We posit that this deficiency primarily arises from the clash between two competing demands: accurate predictions necessitate extensive contextual information, while precise predictions hinge on higher resolutions. Owing to the limitations in current hardware memory, prior techniques have leaned towards utilizing low-resolution images to encompass broader spatial context, resulting in less precise or lower-resolution 3D estimations.***

To overcome this hurdle, we have devised multi layered algorithm that undergoes endwise training. At rough level, model comprehensively processes the entire image at a reduced resolution, emphasizing holistic reasoning. This coarse level furnishes essential context to a finer level, which focuses on estimating highly intricate geometries by scrutinizing higher-resolution images. Our research demonstrates a substantial enhancement in performance compared to prior methodologies, showcasing the superior capabilities of our approach.

Keywords: 3D Human Digitization, Multi-Garment Net, Image Processing, Intelligent Remote Sensing.

1. INTRODUCTION

Accurate and detailed digitization of the human form holds the key to unlocking numerous applications, ranging from medical imaging to advancements in virtual reality experiences.

Copyright The Author(s) 2023.This is an Open Access Article distributed under the CC BY license. (http://creativecommons.org/licenses/by/4.0/)

Journal of Image Processing and Intelligent Remote Sensing
ISSN 2815-0953
Vol: 04, No.01, Dec 2023-Jan 2024
http://journal.hmjournals.com/index.php/JIPIRS
DOI: https://doi.org/10.55529/jipirs.41.39.49

Despite advancements in achieving precise and metrically accurate reconstructions through multi-view systems, widespread accessibility has been limited due to its dependency on specialized capture setups that impose strict environmental conditions (such as a high number of cameras and controlled lighting). These professional systems are not only prohibitively expensive but also cumbersome to deploy. There has been a growing shift within the community towards leveraging high-capacity deep learning models as an alternative. These models show considerable promise in generating reconstructions even from a single image, offering a more accessible avenue for digitization. However, it's worth noting that the performance of these methods currently lags behind what professional capture systems can achieve, albeit showcasing significant potential for further advancements.



Figure1: Good resolution picture of person

The aim of proposed research is accomplishment of high reliability 3-dimension rebuilding of dressed individuals using solitary image, achieving resolution that captures intricate details like facial characteristics, clothing pleats. Assessment reveals that existing methods underutilize the potential of high-resolution (e.g., 1k or higher) human imagery, readily accessible through standard sensors in mobile devices. This limitation arises from past techniques relying on holistic approaches, mapping the 2D appearance of photographed humans to their 3D shape. However, practical constraints often lead to the use of down sampled pictures because of memory limitations, restricting the full utilization of high-resolution inputs. Despite the valuable information embedded in local image patches for thorough 3-dimension rebuilding, these cues are seldom harnessed within complete good resolution ideas, primaily because of memory constraints inherent in present model.

Literature Review

This seminar work introduced the concept of SCAPE, utilizing a deformable model based on statistical shape space to complete and animate human shapes. It presented a method for capturing a extensive range of human postures along with shapes using low-dimensional linear subspace representation. [1]

The paper introduces a method called "Multi-Garment Net" that focuses on dressing 3D human models realistically from images. The goal is to learn a model that can accurately infer

Copyright The Author(s) 2023.This is an Open Access Article distributed under the CC BY license. (http://creativecommons.org/licenses/by/4.0/)

Journal of Image Processing and Intelligent Remote Sensing
ISSN 2815-0953
Vol: 04, No.01, Dec 2023-Jan 2024
http://journal.hmjournals.com/index.php/JIPIRS
DOI: https://doi.org/10.55529/jipirs.41.39.49

clothing shapes and textures onto 3-dimension humanoid representations from 2 dimensional images. "Multi-Garment Net" proposed in this paper is designed to address the challenge of realistically clothing 3 dimensional humanoid representations dependent on 2 dimensional images. Paper "Multi-Garment Net: Learning to Dress 3D People from Images" presents an innovative approach to address the challenge of realistically clothing 3D human body models from 2D images. By leveraging neural networks and a data-driven approach, the method demonstrates promising results in synthesizing clothing variations and textures onto 3D human body models, contributing to advancements in computer vision and graphics for requests in virtual try-on, fashion, entertainment industries. [2]

The paper titled "Keep it SMPL: Automatic Estimation of 3D Human Pose and Shape from a Single Image" by F. Bogo et. al. focuses on involuntary estimation of 3-dimensional human posture, shape using solitary image. [3] Paper introduces SMPL, a method for involuntary estimation of 3-dimensional human posture, shape using solitary image. SMPL is designed to accurately capture human body shape and pose variations, enabling applications in computer vision, graphics, and human-computer interaction.

This paper focuses on semantic image segmentation using deep CNN combined with A convolution with wholly linked CRFs. Paper introduces DeepLab, an approach for semantic image separation that associates deep CNN with atrous convolution with wholly linked CRFs. DeepLab achieves good superiority pixel level semantic segmentation of pictures. "DeepLab: Semantic Image Segmentation with Deep Convolutional Nets, Atrous Convolution, and Fully Connected CRFs" presents an innovative approach to semantic image segmentation by leveraging atrous convolution, ASPP modules, and fully connected CRFs. The method demonstrates significant improvements in accurately segmenting images into semantic categories while preserving object boundaries and achieving advanced presentation on target datasets. Its efficiency with accuracy forms it a promising solution for several computer vision targets requiring pixel-level semantic segmentation.

Components Requirement
Software Requirement
1. 3D Scanning Software:
This software is used to capture the physical appearance of a human subject and convert it into a digital 3D model. It may involve the use of depth sensors, structured light systems, or other scanning technologies.

2. Mesh Processing Tools:
Once a 3D scan is obtained, mesh processing software is often used to clean up and optimize the mesh data. This can include removing noise, filling holes, and refining the surface details.

3. Implicit Function Generation:
If the paper focuses on implicit functions, there may be software components involved in generating and manipulating these functions. This could include algorithms for creating implicit surfaces based on the acquired 3D data.

Copyright The Author(s) 2023.This is an Open Access Article distributed under the CC BY license. (http://creativecommons.org/licenses/by/4.0/)

Journal of Image Processing and Intelligent Remote Sensing
ISSN 2815-0953
Vol: 04, No.01, Dec 2023-Jan 2024
http://journal.hmjournals.com/index.php/JIPIRS
DOI: https://doi.org/10.55529/jipirs.41.39.49

4. Pixel Alignment Algorithms:
Pixel alignment is crucial for maintaining high resolution in 3D human digitization. Software components involved in aligning pixels accurately could include algorithms for registration and alignment of multiple data sources.

5. High-Resolution Rendering Software:
For visualization purposes, high-resolution rendering software may be used to display the 3D human model accurately. This could involve realistic rendering techniques, shading algorithms, and other graphics-related components.

Flow Graph:



2. METHODOLOGY

1. Data Acquisition
Describe the methods used for capturing 3D data of human subjects. This could involve detailing the hardware (e.g., 3D scanners, cameras) and any specific techniques employed.

2. Preprocessing
Explain how the acquired data was processed before further analysis. This may include steps such as noise reduction, mesh cleaning, or other preprocessing techniques.

3. Implicit Function Generation
If the paper focuses on implicit functions, describe the process of generating these functions from the 3D data. Include details about the algorithms or mathematical techniques used.

4. Pixel Alignment
Explain the procedures and algorithms used for pixel alignment in the context of high-resolution 3D human digitization. This might involve techniques for accurate registration and alignment of pixels.

5. Integration of Multi-Level Information
If the paper discusses multi-level information, provide details on how different levels of data or features are integrated into the digitization process.

Copyright The Author(s) 2023.This is an Open Access Article distributed under the CC BY license. (http://creativecommons.org/licenses/by/4.0/)

Journal of Image Processing and Intelligent Remote Sensing
ISSN 2815-0953
Vol: 04, No.01, Dec 2023-Jan 2024
http://journal.hmjournals.com/index.php/JIPIRS
DOI: https://doi.org/10.55529/jipirs.41.39.49

6. Resolution Enhancement Techniques
If the methodology includes techniques for achieving high resolution, describe the specific approaches used to enhance the resolution of the 3D human models.

7. Validation and Testing
Detail the methods used to validate the results of the digitization process. This could involve comparisons with ground truth data, quantitative metrics, or other validation techniques.

8. Software and Tools
List the specific software tools, libraries, or frameworks used in the implementation of the methodology.

9. Ethical Considerations
If relevant, discuss any ethical considerations in the data acquisition process, especially when dealing with human subjects.

Final Model of Project



3. RESULTS


Datasets. For the acquisition of good fidelity 3-dimensional geometry with corresponding pictures, our approach involves utilizing the Render People dataset, which comprises 500 commercially existing good resolution photogrammetry images. This dataset is divided into

Copyright The Author(s) 2023.This is an Open Access Article distributed under the CC BY license. (http://creativecommons.org/licenses/by/4.0/)

Journal of Image Processing and Intelligent Remote Sensing
ISSN 2815-0953
Vol: 04, No.01, Dec 2023-Jan 2024
http://journal.hmjournals.com/index.php/JIPIRS
DOI: https://doi.org/10.55529/jipirs.41.39.49

two subsets: training set containing 450 themes with separate trial set comprising 50 themes. Employing precomputed radiance transfer, we render meshes utilizing 163 2nd order spherical harmonics from HDRI Haven1. Separate individual within the dataset is rendered from various viewpoints across the yaw axis, maintaining a fixed elevation of 0 degrees.
In contrast to methods necessitating clean segmentation masks, our approach involves augmenting arbitrary background pictures using the COCO dataset. This augmentation process removes the requirement for a segmentation step, streamlining the workflow.

Implementation Details
Picture encoders at poor resolution as well as good resolution levels employ weighted hourglass system, comprising 4 loads for former and 1 stack for the latter. To enhance performance, we adopted suggested modifications and replaced batch normalization with group normalization within these networks. Notably, well picture encoder omits single down sampling process, thereby preserving larger feature surrounding resolution. Feature extents include 128x128x256 for the coarse level and 512x512x16 for the fine level.



(a)I/P (b) Good module (c) Good module with Global feature (d) 1-level PIF (e) Multi-level PIFu

In terms of the multi-layer perceptron (MLP) configuration, the coarse-level image encoder comprises layers with specific neuron counts. Meanwhile, the fine-level image encoder incorporates an MLP structure with a neuron count sequence of (272, 512, 256, 128, 1), incorporating hop influences at the 2nd and 3rd layers for enhanced connectivity and information flow.

4. CONCLUSIONS

We introduce a multi-level framework designed to engage in comprehensive reasoning that combines both global and local information, enabling the generation of good resolution 3 dimension restorations of dressed individuals using solitary picture, without requiring extra

Copyright The Author(s) 2023.This is an Open Access Article distributed under the CC BY license. (http://creativecommons.org/licenses/by/4.0/)

Journal of Image Processing and Intelligent Remote Sensing
ISSN 2815-0953
Vol: 04, No.01, Dec 2023-Jan 2024
http://journal.hmjournals.com/index.php/JIPIRS
DOI: https://doi.org/10.55529/jipirs.41.39.49

further processing steps or additional data. In this approach, the multi layered PAIF, progressively conveys global context across scale pyramid, constructing implicit three dimension implanting. This strategy bypasses early decisions on clear geometry, a limitation in previous methodologies.

Our empirical evaluations underscore the significance of integrating such Three Dimension aware setting for achieving both detailed and exact reconstructions. Additionally, it is illustrated that extenuating vagueness in image domain significantly enhances reliability of reconstructed details, particularly in obstructed areas.

Given that efficacy of our multi leyered approach hinges on successful extraction of three dimension embeddings in earlier stages, enhancing the resilience of reference point model is poised to unswervingly benefit our total reconstruction exactness. Upcoming research directions might involve integrating human precise priors, such as semantic separation, posture information, parametric three-dimension expression models. Moreover, incorporating two-dimension management of implied superficial could additional bolster provision for handling diverse real-world inputs.

5. REFERENCES

1. D. Anguelov, P. Srinivasan, D. Koller, S. Thrun, J. Rodgers,and J. Davis. SCAPE: shape completion and animation of people. ACM Transactions on Graphics, 24(3):408–416, 2005.
2. B. L. Bhatnagar, G. Tiwari, C. Theobalt, and G. Pons-Moll. Multi-garment net: Learning to dress 3d people from images. In Proceedings of the IEEE International Conference on Computer Vision, pages 5420–5430, 2019.
3. F.Bogo,A.Kanazawa,C.Lassner,P.Gehler,J.Romero,and M. J. Black. Keep it SMPL: Automatic estimation of 3D human pose and shape from a single image.In European Conference on Computer Vision, pages 561–578, 2016.
4. L.-C. Chen, G. Papandreou, I. Kokkinos, K. Murphy, and A. L. Yuille. Deeplab: Semantic image segmentation with deep convolutional nets, atrous convolution, and fully connected crfs. IEEE transactions on pattern analysis and machine intelligence, 40(4):834–848, 2019
5. et. al., G. B. . (2021). Epilepsy Identification using EEG signal monitoring. Turkish Journal of Computer and Mathematics Education (TURCOMAT), 12(2), 2366–2371.
6. Birajadar, G., & Bhyri, C. (2020). Comparative survey on EEG analyss for detecting brain disorders. International journal of Future Generation Communication and Networking, 13(3s), 1253-1257.
7. Monika S Mali, Shwetali S Phadke, Vaishnavi M Karande, & Ganesh Birajadar. (2023). Power Generation by Footstep. Journal of Energy Engineering and Thermodynamics (JEET) ISSN 2815-0945, 3(03), 22–30. https://doi.org/10.55529/jeet.33.22.30
8. Akshay G Masa, Shital P Mundlik, Rutuparna R Lawand, & Ganesh B Birajadar. (2022). “Smart Parking Management System” (Based on IOT Modules). Journal of Electronics, Computer Networking and Applied Mathematics (JECNAM) ISSN: 2799-1156, 2(06), 8–12. https://doi.org/10.55529/jecnam.26.8.12

Copyright The Author(s) 2023.This is an Open Access Article distributed under the CC BY license. (http://creativecommons.org/licenses/by/4.0/)

Journal of Image Processing and Intelligent Remote Sensing
ISSN 2815-0953
Vol: 04, No.01, Dec 2023-Jan 2024
http://journal.hmjournals.com/index.php/JIPIRS
DOI: https://doi.org/10.55529/jipirs.41.39.49

9. Ghodake, R.G., Mulani, A.O. (2018). Microcontroller Based Automatic Drip Irrigation System. In: Pawar, P., Ronge, B., Balasubramaniam, R., Seshabhattar, S. (eds) Techno-Societal 2016. ICATSA 2016. Springer, Cham. https://doi.org/10.1007/978-3-319-53556-2_12
10. Aasawari Boxey, Anushri Jadhav, Pradnya Gade, Priyanka Ghanti, & Dr.A.O. Mulani. (2022). Face Recognition using Raspberry Pi. Journal of Image Processing and Intelligent Remote Sensing(JIPIRS) ISSN 2815-0953, 2(04), 15–23. https://doi.org/10.55529/jipirs.24.15.23
11. Korake, D. M., & Mulani, A. O. (2016). Design of Computer/Laptop Independent Data transfer system from one USB flash drive to another using ARM11 processor. International Journal of Science, Engineering and Technology Research.
12. Yogita Maske, Mr. A. B. Jagadale, Dr. Altaf O. Mulani, & Mrs. A. C. Pise. (2023). Implementation of BIOBOT System for COVID Patient and Caretakers Assistant using IOT. International Journal of Information Technology &Amp; Computer Engineering (IJITC) ISSN : 2455-5290, 2(01), 30–43. https://doi.org/10.55529/ijitc.21.30.43
13. Mandwale, A., & Mulani, A. O. (2015, January). Different Approaches For Implementation of Viterbi decoder. In IEEE International Conference on Pervasive Computing (ICPC).
14. Swapnil Takale, & Dr. Altaaf Mulani. (2022). DWT-PCA based Video Watermarking. Journal of Electronics, Computer Networking and Applied Mathematics (JECNAM) ISSN : 2799-1156, 2(06), 1–7. https://doi.org/10.55529/jecnam.26.1.7
15. Shinde, Ganesh, and Altaaf Mulani. "A Robust Digital Image Watermarking Using Dwt -Pca." International Journal of Innovations in Engineering Research and Technology, vol. 6, no. 4, 2019, pp. 1-7.
16. H. S. Deshpande, K. J. Karande and A. O. Mulani, "Efficient implementation of AES algorithm on FPGA," 2014 International Conference on Communication and Signal Processing, Melmaruvathur, India, 2014, pp. 1895-1899, doi: 10.1109/ICCSP.2014.6950174.
17. Godase, Vaibhav, et al. “Smart Agriculture Automation Using ESP8266 Node MCU.” Journal of Electronics, Computer Networking and Applied Mathematics (JECNAM) ISSN : 2799-1156, 1 Aug. 2023, journal.hmjournals.com/index.php/JECNAM/article/view/2417.
18. Vaibhav Godase, “Three Element Control using PLC, PID & SCADA Interface” International Journal for Scientific Research & Development, Volume 7 Issue 2 Pages 1105-1109.
19. Altaf O. Mulani, Ganesh Birajadar, Nikola Ivković, Bashir Salah, Arsyad R. Darlis (2023). Deep Learning Based Detection of Dermatological Diseases using Convolutional Neural Networks and Decision Trees. Traitement du Signal
20. Altaf O. Mulani, Rupali A. Sawant, Ganesh B. Birajadar, Swapnil R. Takale (2023). Automatic PCB Track Design Machine. International Journal of Integrated Engineering.
21. Mulani, A. O., Patil, R. M., & Liyakat (2023), K. K. S. Discriminative Appearance Model For Robust Online Multiple Target Tracking, 22(1).

Copyright The Author(s) 2023.This is an Open Access Article distributed under the CC BY license. (http://creativecommons.org/licenses/by/4.0/)

Journal of Image Processing and Intelligent Remote Sensing
ISSN 2815-0953
Vol: 04, No.01, Dec 2023-Jan 2024
http://journal.hmjournals.com/index.php/JIPIRS
DOI: https://doi.org/10.55529/jipirs.41.39.49

22. Maske, Y., Jagadale, A. B., Mulani, A. O., & Pise, A. C. (2023). Development of BIOBOT System to Assist COVID Patient and Caretakers. European Journal of Molecular & Clinical Medicine, 10(01).
23. Patale, J. P., Jagadale, A. B., Mulani, A. O., & Pise, A. (2023). A Systematic survey on Estimation of Electrical Vehicle. Journal of Electronics, Computer Networking and Applied Mathematics (JECNAM) ISSN: 2799-1156, 3(01), 1-6.
24. Kambale, A. (2023). Home Automation Using Google Assistant. UGC care approved journal, 32(1).
25. Mulani, A. O., Patil, R. M., & Liyakat (2023), K. K. S. Discriminative Appearance Model For Robust Online Multiple Target Tracking, 22(1).
26. Bhanudas Gadade and Altaf Mulani, "Automatic System for Car Health Monitoring, International Journal of Innovations in Engineering Research and Technology, 57–62, 2022
27. Pratima Amol Kalyankar, Altaf O. Mulani, Sampada P. Thigale, Pranali Gajanan Chavhan and Makarand M. Jadhav, "Scalable face image retrieval using AESC technique", Journal Of Algebraic Statistics Volume 13, No. 3, p. 173 – 176, 2022
28. Kashid, M. M., Karande, K. J., & Mulani, A. O. (2022, November). IoT-Based Environmental Parameter Monitoring Using Machine Learning Approach. In Proceedings of the International Conference on Cognitive and Intelligent Computing: ICCIC 2021, Volume 1 (pp. 43-51). Singapore: Springer Nature Singapore.
29. Pol, R. S., Deshmukh, A. B., Jadhav, M. M., Liyakat, K. K. S., & Mulani, A. O. (2022). iButton Based Physical access Authorization and security system. Journal of Algebraic Statistics, 13(3), 3822-3829.
30. Liyakat, K. K. S., Warhade, N. S., Pol, R. S., Jadhav, H. M., & Mulani, A. O. (2022). Yarn Quality detection for Textile Industries using Image Processing. Journal Of Algebraic Statistics, 13(3), 3465-3472.
31. Mulani, A. O., Jadhav, M. M., & Seth, M. (2022). Painless Non-invasive blood glucose concentration level estimation using PCA and machine learning. the CRC Book entitled Artificial Intelligence, Internet of Things (IoT) and Smart Materials for Energy Applications.
32. Kamble, A., & Mulani, A. O. (2022). Google Assistant based Device Control. Int. J. of Aquatic Science, 13(1), 550-555.
33. Jadhav, H. M., Mulani, A., & Jadhav, M. M. (2022). Design and Development of Chatbot Based on Reinforcement Learning. Machine Learning Algorithms for Signal and Image Processing, 219-229.
34. Takale, S., & Mulani, A. (2022). DWT-PCA Based Video Watermarking. Journal of Electronics, Computer Networking and Applied Mathematics (JECNAM) ISSN: 2799-1156, 2(06), 1-7.
35. Gadade, B., & Mulani, A. (2022). Automatic System for Car Health Monitoring. International Journal of Innovations in Engineering Research and Technology, 57-62.
36. Takale, S., & Mulani A. O. (2022). Video Watermarking System. International Journal for Research in Applied Science & Engineering Technology (IJRASET), 10.
37. Maske, Y., Jagadale, M. A., Mulani, A. O., & Pise, M. A. (2022). Implementation of BIOBOT System for COVID Patient and Caretakers Assistant Using IOT. International

Copyright The Author(s) 2023.This is an Open Access Article distributed under the CC BY license. (http://creativecommons.org/licenses/by/4.0/)

Journal of Image Processing and Intelligent Remote Sensing
ISSN 2815-0953
Vol: 04, No.01, Dec 2023-Jan 2024
http://journal.hmjournals.com/index.php/JIPIRS
DOI: https://doi.org/10.55529/jipirs.41.39.49

Journal of Information Technology & Computer Engineering (IJITC) ISSN: 2455-5290, 2(01), 30-43.

38. Boxey, A., Jadhav, A., Gade, P., Ghanti, P., & Mulani, A. O. (2022). Face Recognition using Raspberry Pi. Journal of Image Processing and Intelligent Remote Sensing (JIPIRS) ISSN 2815-0953, 2(04), 15-23.
39. Pathan, A. N., Shejal, S. A., Salgar, S. A., Harale, A. D., & Mulani, A. O. (2022). Hand Gesture Controlled Robotic System. Int. J. of Aquatic Science, 13(1), 487-493.
40. Kolekar, S. D., Walekar, V. B., Patil, P. S., Mulani, A. O., & Harale, A. D. (2022). Password Based Door Lock System. Int. J. of Aquatic Science, 13(1), 494-501.
41. V. B. Utpat, Dr. K. J. Karande, Dr. A. O. Mulani (2022), Grading of Pomegranate Using Quality Analysis. 10(II), 875-881.
42. Dr. P. B. Mane and A. O. Mulani, "High throughput and area efficient FPGA implementation of AES algorithm", International Journal of Engineering and Advanced Technology, Vol. 8, Issue 4, April 2019
43. Ganesh Shinde and Altaf Mulani, "A Robust Digital Image Watermarking using DWT-PCA", International Journal of Innovations in Engineering Research and Technology (IJIERT), Vol. 6 Issue 4 April 2019.
44. A. O. Mulani and Dr. P. B. Mane, "Secure and area Efficient Implementation of Digital Image Watermarking on Reconfigurable Platform", International Journal of Innovative Technology and Exploring Engineering, Vol. 8, Issue 2,Dec.
45. P. B. Mane and A. O. Mulani, "High Speed Area Efficient FPGA Implementation of AES Algorithm", International Journal of Reconfigurable and Embedded Systems, Vol. 7, No. 3, pp. 157-165, November 2018.
46. Renuka Kondekar and A. O. Mulani, "Raspberry pi based voice operated Robot", International Journal of Recent Engineering Research and Development (IJRERD) , Vol. 2 Issue 12, Dec. 2017.
47. Kulkarni P.R., Mulani A.O. and Mane P. B., "Robust Invisible Watermarking for Image Authentication", In Emerging Trends in Electrical, Communications and Information Technologies, Lecture Notes in Electrical Engineering, vol. 394,pp. 193-200, Springer, Singapore, 2017.
48. A.O.Mulani and Dr.P.B.Mane, "An Efficient implementation of DWT for image compression on reconfigurable platform", International Journal of Control Theory and Applications, Vol.10 No.15, 2017.
49. A.O.Mulani and Dr.P.B.Mane, "Fast and Efficient VLSI Implementation of DWT for Image Compression", International Journal for Research in Applied Science & Engineering Technology, Vol.5 Iss. IX, pp. 1397-1402, 2017. (UGC Care)
50. A.O.Mulani and Dr.P.B.Mane, "Watermarking and Cryptography Based Image Authentication on Reconfigurable Platform", Bulletin of Electrical Engineering and Informatics, Vol.6 No.2, pp 181- 187,2017
51. Rutuja Abhangrao, Shilpa Jadhav, Priyanka Ghodke and Altaaf Mulani, "Design And Implementation Of 8-Bit Vedic Multiplier", JournalNX, pp. 24–26, Mar. 2017.
52. A.O.Mulani and Dr.P.B.Mane, "Area Efficient High Speed FPGA Based Invisible Watermarking for Image Authentication", Indian Journal of Science and Technology, Vol.9. No.39, Oct. 2016.

Copyright The Author(s) 2023.This is an Open Access Article distributed under the CC BY license. (http://creativecommons.org/licenses/by/4.0/)

Journal of Image Processing and Intelligent Remote Sensing
ISSN 2815-0953
Vol: 04, No.01, Dec 2023-Jan 2024
http://journal.hmjournals.com/index.php/JIPIRS
DOI: https://doi.org/10.55529/jipirs.41.39.49

53. Amruta Mandwale and A. O. Mulani, “Implementation of High Speed Viterbi Decoder using FPGA”,International Journal of Engineering Research & Technology (IJERT), Feb. 2016.
54. D. M. Korake and A. O. Mulani, “Design of Computer/Laptop Independent Data transfer system from one USB flash drive to another using ARM11 processor”, International Journal of Science, Engineering and Technology Research, 2016.
55. Rahul G. Ghodake and A. O. Mulani, “Sensor Based Automatic Drip Irrigation System”, Journal forResearch, 53-56, 2016.Rahul Shinde and A. O. Mulani, “Analysis of Biomedical Image”, International Journal on Recent & Innovative trend in technology (IJRITT), July 2015.
56. Rahul Shinde and A. O. Mulani, “Analysis of Biomedical Image using Wavelet Transform”,International Journal of Innovations in Engineering Research and Technology (IJIERT) , July 2015.
57. Priyanka Kulkarni and A. O. Mulani, “Robust Invisible Digital Image Watermarking using Discrete Wavelet Transform”, International Journal of Engineering Research & Technology (IJERT) , Vol. 4 Issue01, pp.139-141, Jan.2015.
58. Swapnil Takale, Dr. Altaaf Mulani, " A VIDEO WATERMARKING TECHNIQUE WITH VIDEO AND IMAGE AS WATERMARK USING DWT AND PCA ", JOURNAL OF NORTHEASTERN UNIVERSITY, Volume 25, Issue 4, 2022

Copyright The Author(s) 2023.This is an Open Access Article distributed under the CC BY license. (http://creativecommons.org/licenses/by/4.0/)