

Research Paper



Impact of nursing interventions on patient outcomes: a comprehensive analysis

Ibu M. Josephine¹, Ogbor G. Ipuole², Molua C. Jessica^{3*} 

^{1,2,3*}Department of Nursing Science, Novena University Ogume Delta State Nigeria.

Article Info

Article History:

Received: 02 November 2023

Revised: 13 January 2024

Accepted: 19 January 2024

Published: 05 March 2024

Keywords:


Medication

Management

Patient Education

Wound Care

Nursing Interventions



ABSTRACT

Background: Nursing interventions such as medication management, patient education, and wound care are widely believed to influence patient outcomes and satisfaction, but healthcare professionals' perspectives on implementing these interventions are less well documented.

Objective: To examine the influence of medication management, patient education, and wound care interventions on patient outcomes and satisfaction, and to capture healthcare professionals' perspectives on their implementation.

Methods: A mixed-methods study combined quantitative analysis of patient surveys and medical records with qualitative data from interviews and focus group discussions with healthcare professionals. Quantitative data (n=15 patients) captured medication adherence and health improvement scores, patient education level and satisfaction scores, and wound size relative to healing time. Fifteen healthcare professionals (4–18 years of experience) were surveyed on their perceptions of the three intervention types.

Results: A positive but variable association was observed between medication adherence and health improvement. Patient satisfaction increased with education level (average 4.2 for School of Nursing–level education to 5.5 for nursing degree). Wound size and healing time trended together. Professionals expressed largely positive perceptions of medication management, with more mixed views on wound care and patient education interventions.

Conclusion: Well-structured medication management is associated with improved outcomes, and satisfaction varies by education level, supporting tailored education strategies. Professionals view wound care favorably but highlight a need for ongoing training and resources.

Corresponding Author:

Molua C. Jessica

Department of Nursing Science, Novena University Ogume Delta State Nigeria.

Email: Queely443@Gmail.Com

Copyright © 2024 The Author(s). This is an open access article distributed under the Creative Commons Attribution License, (<http://creativecommons.org/licenses/by/4.0/>) which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited.

1. INTRODUCTION

Nursing interventions are pivotal in patient care, influencing health outcomes and satisfaction. Understanding the effectiveness of specific interventions, such as medication management, patient education, and wound care, is crucial for optimizing healthcare delivery. The healthcare field is dynamic and constantly evolving, with nursing interventions critical to patient care. The importance of studying the impact of nursing interventions on patient outcomes cannot be overstated, as these interventions serve as integral elements in determining the overall success of healthcare delivery. Nursing interventions encompass a range of activities, from medication management to patient education and wound care, each playing a distinct role in shaping patient experiences and influencing health outcomes.

Understanding the significance of nursing interventions is vital in addressing contemporary healthcare challenges [1], [2]. The efficacy of these interventions holds practical implications for healthcare professionals, policymakers, and patients alike. By scrutinizing the specific contributions of interventions such as medication management, patient education, and wound care, this research seeks to unravel the complexities of patient care. Practical insights from this study can guide healthcare practitioners in optimizing their interventions, enhancing patient well-being, and ensuring a more streamlined healthcare delivery process [3], [4].

Moreover, the investigation contributes to the broader field of study by bridging existing gaps in the literature. While nursing interventions are widely acknowledged for their impact on patient outcomes, there needs to be more comprehensive research that scrutinizes the individual effectiveness of specific interventions. This study addresses this gap by delving into the nuanced aspects of medication management, patient education, and wound care. The findings promise to provide a nuanced understanding of how these interventions influence patient outcomes, thus contributing to theoretical advancements in nursing practices.

This research holds immense significance in the contemporary healthcare landscape. The practical implications of understanding the impact of nursing interventions on patient outcomes are far-reaching, influencing day-to-day clinical practices, policy decisions, and, most importantly, the well-being of patients [5], [6]. By investigating specific interventions and their distinct contributions, this research aims to make a meaningful contribution to both the theoretical and practical dimensions of nursing care, fostering advancements in healthcare practices and ultimately leading to improved patient satisfaction and outcomes.

2. RELATED WORK

This study aims to systematically discover and analyze the impact of precise nursing interventions on ordinary patient results and delight, medication control, affected person education, and wound care. The present literature surrounding nursing interventions recognizes their crucial role in healthcare; however, it frequently needs a granular exam of the man or woman contributions of those interventions. The hole in the literature that this examination pursues to deal with lies inside the want for complete information on how those precise nursing interventions notably impact affected person outcomes and pleasure tiers. While preceding studies have established a widespread connection among nursing interventions and stepped forward affected person consequences, they often need more specificity in delineating the differential results of medicine control, affected person training, and wound care. By delving into these precise interventions, the modern look seeks to provide an extra nuanced attitude on their man or woman roles, bridging the present gap within the literature and offering treasured insights to healthcare experts, policymakers, and researchers.

[7] Emphasized the overall importance of nursing interventions in enhancing patient care. These studies have laid the groundwork by highlighting the positive correlation between nursing interventions and improved health outcomes. However, there needs to be more research dissecting the impact of specific interventions on patient outcomes. Building upon the foundation laid by previous research, this study aims to define the unique significance of medication management, patient education, and wound care. By scrutinizing these interventions individually, the research seeks to contribute a more refined understanding of their effects on patient outcomes and satisfaction. Recognizing the distinct contributions of each intervention is critical for refining nursing practices and optimizing healthcare delivery, addressing a notable gap in the existing literature, and advancing the theoretical and practical dimensions of nursing care.

2.1 Objective of Study

The primary objectives of this study are multifaceted, aiming to provide a comprehensive understanding of the impact of specific nursing interventions on patient outcomes and satisfaction. Firstly, the research seeks to assess the impact of medication management on patient outcomes. This involves analyzing how adherence to medication regimens and effective management by nursing staff influence health outcomes, recovery rates, and overall patient satisfaction [8], [6], [9].

Secondly, the study aims to evaluate the effectiveness of patient education in enhancing overall patient satisfaction. Patient education is a fundamental nursing intervention that empowers individuals with the knowledge to participate actively in their healthcare. The research will delve into the extent to which well-informed patients experience improved satisfaction levels and whether this knowledge translates into better health outcomes.

The third primary objective is to analyze the influence of wound care interventions on patient outcomes. Wound care is a critical aspect of nursing, impacting physical healing and psychological well-being. The study aims to assess the efficacy of different wound care approaches in promoting optimal patient outcomes and satisfaction, providing valuable insights for refining wound management practices. In addition to these primary objectives, the study has secondary objectives that focus on identifying factors influencing the success or failure of nursing interventions. This involves considering contextual factors, patient characteristics, and healthcare system dynamics that may affect the outcomes of medication management, patient education, and wound care. Furthermore, the research will explore the perceptions and experiences of healthcare professionals involved in implementing these interventions, offering a qualitative dimension to the understanding of their effectiveness. Overall, the objectives of this study are designed to unravel the intricate relationships between specific nursing interventions and patient outcomes, contributing both practical insights for healthcare practitioners and theoretical advancements in the broader field of nursing care. The combination of quantitative and qualitative data will provide a holistic view, allowing for a nuanced exploration of the effectiveness of these interventions and addressing the existing gaps in the literature.

3. METHODOLOGY

The study will employ a mixed-methods approach to investigate nursing interventions' influence on patient outcomes comprehensively. This approach will integrate quantitative and qualitative methodologies, enabling a nuanced exploration of statistical relationships and a rich contextual understanding of the interventions. The quantitative facet will encompass surveys and medical record reviews, utilizing standardized measures to quantify patient outcomes and satisfaction. Meanwhile, the qualitative component will involve interviews and focus group discussions with healthcare professionals directly engaged in implementing interventions, offering valuable insights into their experiences and perceptions.

The sampling strategy aims to ensure a diverse and representative participant pool. Comprising patients from various healthcare settings with diverse demographics and medical conditions. According to [10], [11] healthcare professionals, including nurses and relevant staff, will participate in providing insights

into the practical aspects of implementing nursing interventions. Sample size determination will consider achieving data saturation in the qualitative component and statistical power in the quantitative analysis. The experimental setup systematically implements nursing interventions in selected healthcare settings, covering medication management, patient education, and wound care. Nurses and healthcare professionals will conduct these interventions following established protocols and guidelines. Patient outcomes will be measured using standardized health indicators, recovery rates, and satisfaction scores [12], [13], [14]. Surveys will be distributed to patients for quantitative data, while qualitative data will be gathered through interviews and focus group discussions with healthcare professionals. Data collection will occur in phases, with quantitative data collected through surveys and medical record reviews concurrently with qualitative data collected through interviews and focus group discussions. This integrated approach allows for a comprehensive analysis, ensuring a holistic understanding of the impact of nursing interventions on patient outcomes and satisfaction [15], [16].

The research team will uphold ethical considerations, maintaining patient confidentiality and obtaining informed consent throughout the data collection. In summary, the mixed-methods research strategy, inclusive sampling approach, and systematic data collection process will thoroughly explore the research questions, providing a robust foundation for analyzing the impact of nursing interventions on patient outcomes and satisfaction.

4. RESULTS AND DISCUSSION

Table 1. Medication Management and Patient Outcomes

Patient ID	Age	Medication Adherence (%)	Health Improvement Score
1	45	80.000	7.200
2	32	95.000	8.500
3	58	70.000	6.000
4	40	85.000	7.800
5	65	60.000	5.500
6	28	92.000	8.000
7	50	75.000	6.500
8	42	88.000	7.000
9	60	65.000	5.800
10	35	90.000	8.200
11	55	78.000	6.900
12	38	93.000	8.300
13	48	72.000	6.200
14	33	96.000	8.700
15	52	68.000	6.700




Figure 1. Medication Management and Patient Outcome

The scatter plot of Table 1 visualizes the relationship between medication adherence and health improvement scores for each patient. Each point on the plot represents an individual patient, with the x-coordinate indicating their medication adherence percentage and the y-coordinate representing their health improvement score.

As we observe the scatter plot, specific patterns may emerge. If there is a positive correlation, we expect to see points clustered upward, suggesting that health improvement scores also tend to increase as medication adherence increases. On the contrary, a negative correlation would show points clustering downward, indicating that higher medication adherence is associated with lower health improvement scores.

The plot shows a somewhat positive correlation between medication adherence and health improvement scores. The points generally trend upwards, suggesting that patients with higher levels of medication adherence tend to experience better health improvement scores. However, it is essential to note that the relationship could be more perfectly linear, and there are variations among individual patients. Some patients with lower medication adherence may still achieve high health improvement scores and vice versa.

This scatter plot provides a visual representation of the data, allowing for a quick assessment of the overall trend and the degree of variability. It can help identify potential outliers or patterns within the dataset. Additionally, it supports the quantitative analysis of the correlation between medication adherence and health improvement, offering a more comprehensive understanding of their relationship in the context of nursing interventions and patient outcomes.

Table 2. Patient Education and Satisfaction Levels

Patient ID	Education Level	Satisfaction Score
1	School of Nursing	4.200
2	Midwifery	4.800
3	Nursing degree	5.500
4	School of Nursing	3.900
5	Midwifery	4.700
6	Nursing degree	5.200
7	School of Nursing	4.000
8	Midwifery	4.600
9	Nursing degree	5.000
10	School of Nursing	4.100
11	Midwifery	4.900

12	Nursing degree	5.300
13	School of Nursing	3.800
14	Midwifery	4.500
15	Nursing degree	4.700




Figure 2. Patient Education and Satisfaction Levels

Table 2 displays data concerning Patient Education and Satisfaction Levels, with a recommended visual representation being a bar chart. The graph employs a bar chart format with the X-axis depicting Education Level and the Y-axis representing Satisfaction Score. Each bar on the chart corresponds to a specific education level, and the height of the bar signifies the average satisfaction score for patients within that educational category. Interpreting the graph, patients with a School of Nursing education level exhibit an average satisfaction score of 4.200, suggesting a moderate level of satisfaction. In contrast, patients with a Midwifery education level show a higher average satisfaction score of 4.800, indicating a relatively increased satisfaction level compared to those with a School of Nursing education. Patients with a Nursing degree education level report the highest average satisfaction score of 5.500, suggesting that higher educational attainment is associated with elevated satisfaction levels.

The implications derived from the bar chart reveal a positive correlation between education level and patient satisfaction. Satisfaction scores generally increase with higher levels of education, indicating a potential need for tailored educational interventions for patients with lower education levels to enhance their understanding and satisfaction with healthcare services. In terms of recommendations, healthcare professionals may find value in implementing targeted educational programs or materials for patients with lower education levels. This approach aims to ensure a more comprehensive understanding of their healthcare plans, potentially resulting in improved satisfaction. Further investigation and analysis could delve into the specific aspects of patient education that contribute most significantly to higher satisfaction levels. In summary, the bar chart effectively illustrates the relationship between education level and patient satisfaction, clearly representing the average satisfaction scores for each educational category. This insight can inform healthcare practices and interventions, emphasizing the importance of tailored education strategies to enhance patient satisfaction.

Table 3. Wound Care and Recovery Rates

Patient ID	Wound Size (CM ²)	Days to Heal
1	10.000	14.000
2	8.000	12.000
3	15.000	20.000
4	12.000	16.000

5	18.000	25.000
6	9.000	13.000
7	14.000	18.000
8	11.000	15.000
9	16.000	22.000
10	7.000	11.000
11	13.000	17.000
12	10.000	14.000
13	19.000	27.000
14	8.000	12.000
15	12.000	16.000




Figure 3. Wound Care and Recovery Rates

Table 3 presents' data on wound care, including wound size (in square centimeters) and the corresponding number of days for wound healing. Employing a line chart with a line of best fit offers a visual representation of the overall trend. A steeper incline suggests that more extensive wounds generally take longer to heal, while a flatter slope implies a weaker relationship. Key observations may reveal whether points cluster towards the bottom-left (indicating more minor wounds healing quickly) and top-right (more extensive wounds taking longer to heal), suggesting a negative correlation. Conversely, a dispersed pattern indicates a weak or no correlation between wound size and healing time. The implications of understanding this relationship are crucial for healthcare professionals engaged in wound care interventions. A clear correlation might prompt practitioners to prioritize more extensive wounds for more intensive care or monitoring. However, individualized assessments and treatment plans considering other influencing factors become necessary without a strong correlation. Recommendations for further analysis include calculating correlation coefficients for quantitative insights into the strength and direction of the relationship. Subgroup analysis based on wound characteristics, such as the type of wound, may provide more specific insights. The line chart for Table 3 visually represents the intricate relationship between wound size and healing time. This offers valuable insights into the dynamics of wound care, guiding healthcare practitioners in making informed decisions tailored to individual patient needs.

Table 4. Healthcare Professional Perspectives

Professional ID	Years of Experience	Perception of Medication Management	Perception of Patient Education	Perception of Wound Care
1	10.000	Positive	Neutral	Positive
2	5.000	Positive	Positive	Neutral
3	15.000	Neutral	Positive	Positive
4	8.000	Positive	Neutral	Neutral
5	12.000	Neutral	Positive	Positive

6	6.000	Positive	Neutral	Positive
7	18.000	Neutral	Positive	Neutral
8	9.000	Positive	Positive	Positive
9	14.000	Neutral	Neutral	Neutral
10	7.000	Positive	Positive	Neutral
11	11.000	Neutral	Positive	Positive
12	4.000	Positive	Neutral	Positive
13	16.000	Neutral	Positive	Neutral
14	8.000	Positive	Positive	Positive
15	13.000	Positive	Neutral	Neutral




Figure 4. Distribution of Years of Nursing Experience among Study Respondents

Interpreting the radar chart derived from Table 4, which encapsulates healthcare professionals' perspectives on medication management, patient education, and wound care, provides a comprehensive view of their perceptions across these critical domains. The radar chart illustrates the diverse perspectives of individual professionals, with each vertex representing one of the three aspects assessed. A longer line extending toward the vertex indicates a more positive perception, while a shorter line suggests a less favorable viewpoint.

Examining the chart, it is evident that healthcare professionals vary in their assessments of the different nursing interventions. For instance, Professional 2 and Professional 8 consistently rate all three interventions positively, with relatively longer lines extending toward each vertex. On the other hand, Professional 3 and Professional 7 exhibit more neutral perspectives, as their lines are intermediate in length across all domains. Interestingly, while Medication Management receives positive evaluations from most professionals, Wound Care shows more variability, with some professionals expressing more reserved opinions.

The radar chart facilitates a nuanced understanding of the multifaceted nature of nursing interventions as perceived by healthcare professionals. It enables the identification of areas where there is a consensus among professionals and areas where opinions diverge. This visual representation is valuable for healthcare administrators and policymakers seeking to understand the overall landscape of nursing intervention perceptions within the healthcare team. It may also guide targeted interventions or training programs to address specific concerns or inconsistencies in the perceived effectiveness of nursing interventions, ultimately contributing to improved healthcare practices and patient outcomes.

4.1 Discussion

The interpretation of the results underscores the significance of specific nursing interventions in shaping patient outcomes and satisfaction. The positive correlation between medication adherence and health improvement aligns with the practical application of emphasizing adherence protocols within healthcare settings. This finding reinforces the importance of structured medication management

strategies for promoting positive patient outcomes. Likewise, the observed trends in satisfaction levels across different education levels underscore the practical implication of tailoring patient education initiatives based on educational backgrounds. This suggests that personalized educational approaches enhance patient satisfaction, emphasizing the need for targeted interventions.

Factors influencing these results include individual patient characteristics and the execution of interventions by healthcare professionals. Patient engagement and understanding are crucial to medication management and educational efforts. Furthermore, the expertise and communication skills of healthcare professionals administering interventions influence patient perceptions. The positive trends observed in healthcare professionals' perspectives on wound care align with the practical application of fostering a positive healthcare environment. This suggests that investing in training and resources for wound care may enhance professionals' perceptions, contributing to improved patient care.

The implications of the findings are noteworthy for healthcare practitioners, policymakers, and educators. Understanding the nuanced impact of specific nursing interventions can guide the development of tailored intervention strategies. For instance, allocating resources toward enhancing medication adherence programs and refining patient education initiatives may yield tangible benefits regarding improved patient outcomes and satisfaction. Additionally, recognizing the positive trends in wound care interventions emphasizes the importance of continuing education and training in this domain, potentially contributing to a more positive healthcare environment.

However, it is essential to acknowledge certain limitations in the experimental setup. The study's reliance on self-reported data may introduce a subjective bias, and variations in interpretation among healthcare professionals could influence the qualitative results. The generalizability of the findings may also be limited due to the specific demographic characteristics of the study sample. Additionally, the cross-sectional nature of the study design limits the ability to establish causation, emphasizing the need for longitudinal investigations. Despite these limitations, the study contributes valuable insights into the impact of nursing interventions on patient outcomes and satisfaction, paving the way for further research and refined interventions in clinical practice.

5. CONCLUSION

This study highlights the importance of specific nursing interventions in influencing patient outcomes and satisfaction. It emphasizes the positive correlation between medication adherence and health improvement, emphasizing the need for structured medication management. The study also highlights the importance of tailored patient education strategies to improve overall satisfaction. Healthcare professionals' positive perspectives on wound care interventions underscore the practical value of investing in training and resources in this domain. The research contributes to existing knowledge by exploring individual nursing interventions and their distinct impacts on patient well-being. It provides evidence-based recommendations for healthcare practitioners, policymakers, and educators to optimize patient care strategies. The study addresses a gap in the literature by offering a detailed examination of the effectiveness of specific nursing interventions. The practical implications of the findings, such as the positive relationship between medication adherence and health improvement, underscore the need for personalized healthcare delivery. The positive perspectives on wound care interventions highlight the value of continued investment and training in this area.

Acknowledgments

The authors have no specific acknowledgments to make for this research.

Funding Information

This research received no specific grant from any funding agency in the public, commercial, or not-for-profit sectors.

Author Contributions Statement

Name of Author	C	M	So	Va	Fo	I	R	D	O	E	Vi	Su	P	Fu
Ibu M. Josephine	✓	✓	✓	✓		✓		✓	✓	✓	✓	✓	✓	✓
Ogbor G. Ipuole	✓	✓	✓	✓	✓		✓	✓	✓	✓	✓	✓	✓	✓
Molua C. Jessica	✓	✓	✓		✓	✓	✓	✓	✓		✓	✓	✓	✓

C : Conceptualization

M : Methodology

So : Software

Va : Validation

Fo : Formal analysis

I : Investigation

R : Resources

D : Data Curation

O : Writing - Original Draft

E : Writing - Review & Editing

Vi : Visualization

Su : Supervision

P : Project administration

Fu : Funding acquisition

Conflict of Interest Statement

The authors declare that there are no conflicts of interest regarding the publication of this paper.

Informed Consent

All participants were informed about the purpose of the study, and their voluntary consent was obtained prior to data collection.

Ethical Approval

Not Applicable.

Data Availability

The data that support the findings of this study are available from the corresponding author upon reasonable request.


REFERENCES


- [1] K. Bristowe et al., 'Seeing is believing - healthcare professionals' perceptions of a complex intervention to improve care towards the end of life: A qualitative interview study', *Palliat. Med.*, vol. 32, no. 2, pp. 525-532, Feb. 2018. doi.org/10.1177/0269216317711336
- [2] K. Eseka, O. C. Molua, A. O. Ukpene, and A. A. Eghenegi, 'Investigating the protective effectiveness of the shielding parameters for diagnostic X-ray rooms in some selected hospitals in Agbor metropolis-Delta State', *FUDMA Journal of Sciences*, vol. 6, no. 2, pp. 116-119, 2022. doi.org/10.33003/fjs-2022-0602-914
- [3] K. Eseka, O. C. Molua, and A. O. Ukpene, 'Determination of Annual Gonadal Dose Equivalent arising from natural Radioactivity in Soils of Ika North East Local Government Area of Delta State', *International Journal of Basic Science and Technology*, vol. 4, no. 1, pp. 12-16, 2018.
- [4] T. G. Hatfield, T. M. Withers, and C. J. Greaves, 'Systematic review of the effect of training interventions on the skills of health professionals in promoting health behaviour, with meta-analysis of subsequent effects on patient health behaviours', *BMC Health Serv. Res.*, vol. 20, no. 1, Dec. 2020. doi.org/10.1186/s12913-020-05420-1
- [5] S. Coster, M. Watkins, and I. Norman, 'What is the impact of professional nursing on patients' outcomes globally? An overview of research evidence', *International Journal of Nursing Studies*, vol. 78, pp. 76-83, 2017. doi.org/10.1016/j.ijnurstu.2017.10.009
- [6] C. O. Molua, K. Eseka, and A. O. Ukpene, 'Investigating background ionizing radiation in some selected locations in the Agbor metropolis', *Journal of Energy, Engineering, and Thermodynamics (JEET)*, vol. 2, no. 4, pp. 28-35, 2022. doi.org/10.55529/jeet.24.16.23
- [7] O. Molua, 'Studying the Radioactive Isotopes Present in Drinking Water Sources and Evaluating Their Health Risks', *Innovations*, vol. 73, no. 5, pp. 218-226, 2023.
- [8] M. Virgolesi et al., 'The effectiveness of a nursing discharge programme to improve medication adherence and patient satisfaction in the psychiatric intensive care unit', *J. Clin. Nurs.*, vol. 26, no.

- 23-24, pp. 4456-4466, Dec. 2017. doi.org/10.1111/jocn.13776
- [9] C. E. Reinisch, 'Reflective response: When patients don't take their medicine: What role do doctors play in promoting prescription adherence?', Clin. Sch. Rev., vol. 6, no. 1, pp. 68-69, 2013. doi.org/10.1891/1939-2095.6.1.68
- [10] D. Goodridge et al., 'Building patient capacity to participate in care during hospitalisation: a scoping review', BMJ Open, vol. 9, no. 7, p. e026551, July 2019. doi.org/10.1136/bmjopen-2018-026551
- [11] C. Knight, M. Patterson, J. Dawson, and J. Brown, 'Building and sustaining work engagement - a participatory action intervention to increase work engagement in nursing staff', Eur. J. Work Org. Psychol., vol. 26, no. 5, pp. 634-649, Sept. 2017. doi.org/10.1080/1359432X.2017.1336999
- [12] M. R. Ju and M. R. Porembka, 'Reframing quality of care discussions in surgery: Shifting from surgeon focus to patient perspectives', Ann. Surg. Oncol., vol. 27, no. 9, pp. 3123-3125, Sept. 2020. doi.org/10.1245/s10434-020-08799-7
- [13] K. Eseka, C. E. Mokobia, O. C. Molua, and A. O. Ukpene, 'Characterization of Radioactivity from Primordial Radionuclides in the Soils of Ika South Local Government Area of Delta State', FUDMA Journal of Sciences, vol. 6, no. 2, pp. 180-184, 2022. doi.org/10.33003/fjs-2022-0602-913
- [14] S. R. Moonesinghe et al., 'Systematic review and consensus definitions for the Standardised Endpoints in Perioperative Medicine initiative: patient-centred outcomes', Br. J. Anaesth., vol. 123, no. 5, pp. 664-670, Nov. 2019. doi.org/10.1016/j.bja.2019.07.020
- [15] X. Liao-Qi, 'Application of a holistic nursing model of hierarchical responsibility system and health care integration', Journal of Nursing Administration, 2012.
- [16] X. Ding et al., 'Effect of comprehensive nursing intervention for congenital heart disease in children: A meta-analysis', Medicine (Baltimore), vol. 101, no. 41, p. e31184, Oct. 2022. doi.org/10.1097/MD.00000000000031184

How to Cite: Ibu M. Josephine, Ogbor G. Ipuole, Molua C. Jessica. (2024). Impact of nursing interventions on patient outcomes: a comprehensive analysis. Journal of Nursing Research, Patient Safety and Practise (JNRPS), 4(1), 56-67. <https://doi.org/10.55529/jnrpsp.42.10.22>

BIOGRAPHIES OF AUTHORS

	<p>Ibu M. Josephine, it affiliated with the Department of Nursing Science, Novena University Ogume, Delta State, Nigeria. She served as lead author pada the 2024 study "Impact of Nursing Interventions on Patient Outcomes: A Comprehensive Analysis", published in the Journal of Nursing Research, Patient Safety and Practise, bareng co-authors Ogbor G. Ipuole and Molua C. Jessica. Di riset itu mereka melihat bagaimana nursing interventions misalnya medication management, patient education, dan wound care mempengaruhi patient outcomes.</p>
	<p>Ogbor G. Ipuole, seem to be affiliated with the Department of Nursing Science, Novena University, Ogume, Delta State, Nigeria, and he's also been mentioned alongside Southern Delta University, Ozoro, in a 2025 publication. From what I can tell, he has co-authored quite a few nursing related studies, like "Impact of Nursing Interventions on Patient Outcomes" (JNRPS, 2024) and "Nurses' Roles in the Management of Pressure Injury" (Cognizance Journal, 2024). His main research leaning is occupational health, patient safety, and clinical nursing practice, more or less the practical sides.</p>



Molua C. Jessica^{}, is affiliated to the Department of Nursing Science at Novena University, Ogume Delta State Nigeria. She has helped co-author nursing studies like "Impact of Nursing Interventions on Patient Outcomes: A Comprehensive Analysis" and also "Evaluation of Radiological Health Hazard Indices Arising from Diagnostic X-ray Rooms", both of them were published in JNRPSP in 2024 with her colleagues Ibu M. Josephine and Ogbor G. Ipuole. Overall her work leans toward nursing interventions, patient safety matters, and occupational health results, with a kind of focused emphasis on how things impact people day to day. Email: Queely443@Gmail.Com